



Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	719/321-328.ccls. and L84	 
--------------	---------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/>	Starting with Number <input type="text" value="1"/>
-----------------	----------------------------------------------------------------------------------------------------	------------------------------------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search History

DATE: Wednesday, September 27, 2006 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
side by side			
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L86</u>	719/321-328.ccls. and L84	5	<u>L86</u>
<u>L85</u>	driver near initializ\$3 and L84	0	<u>L85</u>
<u>L84</u>	device adj control adj block	421	<u>L84</u>
<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>			
<u>L83</u>	LEE-HYONG-KYUN!	2	<u>L83</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L82</u>	l36 and L81	20	<u>L82</u>
<u>L81</u>	l71 and L80	120	<u>L81</u>
<u>L80</u>	l76 or l77 or l78 or L79	9604	<u>L80</u>
<u>L79</u>	719/328.ccls.	1224	<u>L79</u>
<u>L78</u>	713/1,2,100.ccls.	4007	<u>L78</u>
<u>L77</u>	710/3-10.ccls.	4143	<u>L77</u>
<u>L76</u>	719/321-327.ccls.	963	<u>L76</u>
<u>L75</u>	l73 and L71	43	<u>L75</u>
<u>L74</u>	l69 and L73	0	<u>L74</u>

<u>L73</u>	handle near (device or instrument)	27919	<u>L73</u>
<u>L72</u>	l69 and L71	0	<u>L72</u>
<u>L71</u>	chang\$3 near driver	5269	<u>L71</u>
<u>L70</u>	driver near intializ\$4 and L69	0	<u>L70</u>
<u>L69</u>	vary\$3 near pointer	159	<u>L69</u>
<u>L68</u>	vary\$3 near pointer with driver	0	<u>L68</u>
<u>L67</u>	chang\$3 near (first or second) near driver	36	<u>L67</u>
<u>L66</u>	vary\$3 near address with pointer	12	<u>L66</u>
<u>L65</u>	pointer with driver near chang\$3	19	<u>L65</u>
<u>L64</u>	initializ\$4 near device and L63	51	<u>L64</u>
<u>L63</u>	unsigned near integer and driver	772	<u>L63</u>
<u>L62</u>	unsigned near integer with driver	1	<u>L62</u>
<u>L61</u>	unsigned near integer with ((device or handler) near (id or identifier))	6	<u>L61</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L60</u>	US-5909592-A.did.	1	<u>L60</u>
<u>L59</u>	US-5909592-A.did.	1	<u>L59</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L58</u>	(application or program or system) near (call or request or commands) with ((device or handler) near (id or identifier))	74	<u>L58</u>
<u>L57</u>	(device near initializ\$5) with ((device or handler) near (id or identifier))	49	<u>L57</u>
<u>L56</u>	L53 and L55	39	<u>L56</u>
<u>L55</u>	(device or handler) near (identifier or id)	19766	<u>L55</u>
<u>L54</u>	device near handler near (identifier or id)	1	<u>L54</u>
<u>L53</u>	((translat\$3 or conver\$5) near commands) with driver	594	<u>L53</u>
<u>L52</u>	@pd<20020808 and L51	143	<u>L52</u>
<u>L51</u>	((translat\$3 or conver\$5) near (calls or request)) with driver	311	<u>L51</u>
<u>L50</u>	access\$3 near indirect\$3 with driver	9	<u>L50</u>
<u>L49</u>	(call or request) with indirect\$3 near driver	2	<u>L49</u>
<u>L48</u>	@pd<20020808 and L40	21	<u>L48</u>
<u>L47</u>	@pd<20020808 and L46	1	<u>L47</u>
<u>L46</u>	control near command and L45	7	<u>L46</u>
<u>L45</u>	indirect\$3 near driver	117	<u>L45</u>
<u>L44</u>	calls near indirect\$3 with driver	10	<u>L44</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L43</u>	'5680620'.pn.	1	<u>L43</u>
<u>L42</u>	'5784615'.pn.	1	<u>L42</u>
<u>L41</u>	'5874960'.pn.	1	<u>L41</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L40</u>	generic near interface with driver	65	<u>L40</u>
<u>L39</u>	L36 and L38	120	<u>L39</u>
<u>L38</u>	((conver\$4 or translat\$3) near (request or command or call))	23203	<u>L38</u>
<u>L37</u>	L35 and L36	6	<u>L37</u>

<u>L36</u>	((abstract\$3 or transparen\$2 or dll or librar\$3 or generic\$4 or api) near driver)	1745	<u>L36</u>
<u>L35</u>	((conver\$4 or translat\$3) near application near (request or command or call))	243	<u>L35</u>
<u>L34</u>	(driver or device) near initializ\$4 and L33	5	<u>L34</u>
<u>L33</u>	level near (1 or 2) with initializ\$4	238	<u>L33</u>
<u>L32</u>	level near (1 or 2) with initialization	0	<u>L32</u>
<u>L31</u>	level near 2 near initialization	0	<u>L31</u>
<u>L30</u>	(pointer or handle) near device adj control adj block	4	<u>L30</u>
<u>L29</u>	l27 and L28	51	<u>L29</u>
<u>L28</u>	(configuration or ini or initializ\$4) near (data or file)	53631	<u>L28</u>
<u>L27</u>	device adj control adj block	421	<u>L27</u>
<u>L26</u>	l21 and L25	0	<u>L26</u>
<u>L25</u>	l22 and L24	43	<u>L25</u>
<u>L24</u>	(reset or write or read) near pointer	10105	<u>L24</u>
<u>L23</u>	l21 and L22	0	<u>L23</u>
<u>L22</u>	(open or close) near channel	47008	<u>L22</u>
<u>L21</u>	control near block with (configuration or ini or initializ\$4) near (data or file)	122	<u>L21</u>
<u>L20</u>	control near block with (handler or pointer) near (configuration or ini or initializ\$4) near (data or file)	4	<u>L20</u>
<u>L19</u>	l6 and L18	3	<u>L19</u>
<u>L18</u>	pointer with ((device or driver) near table)	106	<u>L18</u>
<u>L17</u>	pointer with ((command near control) near table)	4	<u>L17</u>
<u>L16</u>	pointer near ((command near control) near table)	1	<u>L16</u>
<u>L15</u>	l8 and L14	1	<u>L15</u>
<u>L14</u>	pointer near ((command or control) near table)	91	<u>L14</u>
<u>L13</u>	((device or driver) near table with (command near (table or id or identifier)))	26	<u>L13</u>
<u>L12</u>	function near pointer and command near (id or identifier)	40	<u>L12</u>
<u>L11</u>	l6 and L10	6	<u>L11</u>
<u>L10</u>	((command or control) near table) with driver	242	<u>L10</u>
<u>L9</u>	l1 and L8	55	<u>L9</u>
<u>L8</u>	(device or driver) near table	11688	<u>L8</u>
<u>L7</u>	l1 and L6	66	<u>L7</u>
<u>L6</u>	command near (id or identifier)	3420	<u>L6</u>
<u>L5</u>	l1 and L4	1	<u>L5</u>
<u>L4</u>	pointer with ((ini or initializ\$4) near file)	54	<u>L4</u>
<u>L3</u>	pointer with ((ini or initializ\$4) near file)	54	<u>L3</u>
<u>L2</u>	pointer near ((ini or initializ\$4) near file)	15	<u>L2</u>
<u>L1</u>	pointer with ((command or control) near table)	658	<u>L1</u>

END OF SEARCH HISTORY